





Flexible LED Mesh Catalog





Product Feature:





- ◆ CE&RoHS Approved
- ◆ Waterproof IP65 and Fireproof
- ◆ Ultra flexible design: like arch, circle, wave, customized size available.
- ◆ Versatile Installation: Led strips can be taken out to satisfy various creative ideas.
- ◆ Easy Maintenance: support break point transmission
- ◆ High Transparency : do not building appearance, easy for stage light/fog/lasers go through the screen to create superb visual effect
- ◆ Fast Locks: make it quick and easy to set up and dismantle large-scaled screen, no tools required

Application: Night club, bar, stage, concert, building etc indoor and outdoor application

LED Flexible Mesh details



Product specification

		P37	P56	P62	P75	P100	P150
 <p>HK-TMLED-M1-PX</p>	<p>M1 1*SMD3535</p>	<p>2000nits/M² 350W/sqm Transparent Rate: 75%</p>	<p>800nits/M² 155W/sqm Transparent Rate: 80%</p>		<p>480nits/M² 86W/sqm Transparent Rate: 90%</p>	<p>360nits/M² 50W/sqm Transparent Rate: 95%</p>	
 <p>HK-TMLED-M4-PX</p>	<p>M4 4*SMD3535</p>	<p>6800nits/M² 500W/sqm Transparent Rate: 55%</p>	<p>2200nits/M² 370W/sqm Transparent Rate: 75%</p>	<p>1800nits/M² 300W/sqm Transparent Rate: 80%</p>	<p>1200nits/M² 200W/sqm Transparent Rate: 85%</p>	<p>700nits/M² 120W/sqm Transparent Rate: 95%</p>	<p>300nits/M² 53W/sqm Transparent Rate: 97%</p>
 <p>HK-TMLED-M6-PX</p>	<p>M6 6*SMD3535</p>	<p>8600nits/M² 600W/sqm Transparent Rate: 55%</p>	<p>3185nits/M² 400W/sqm Transparent Rate: 75%</p>	<p>2700nits/M² 300W/sqm Transparent Rate: 80%</p>	<p>1900nits/M² 250W/sqm Transparent Rate: 85%</p>	<p>1400nits/M² 150W/sqm Transparent Rate: 95%</p>	<p>600nits/M² 80W/sqm Transparent Rate: 97%</p>
 <p>HK-TMLED-M8-PX</p>	<p>M8 8*SMD3535</p>	<p>9600nits/M² 800W/sqm Transparent Rate: 55%</p>	<p>4300nits/M² 400W/sqm Transparent Rate: 75%</p>	<p>3600nits/M² 325W/sqm Transparent Rate: 80%</p>	<p>2500nits/M² 200W/sqm Transparent Rate: 85%</p>	<p>1400nits/M² 130W/sqm Transparent Rate: 90%</p>	<p>600nits/M² 60W/sqm Transparent Rate: 97%</p>

For M1 & M2 series



For M4 & M6 & M8 series




Accessory for All series



Package: Flightcase



Wiring Diagram Guide



Fast maintenance, no need welding wire,we supply maintenance tools, you can do it by yourself and only need 2 minutes to finish it.



Project photos

