

LED Poster Display

LED Digital Poster Display

The LED Poster Display makes your ads be eye-catching which is widely installed in store, shopping mall, hall, bus station, etc. Thin & Light Design, ultra-thin profile allows for easy placement; Easy to operate via Network or USB updates make content change- out; Optional installation solutions include ceiling hanging, floor standing, and wall mounting.

Splicable by multiples

Multiples can be spliced together into a large display screen. The built-in controller can satisfy splicing of 1-6 units. If more than 6 units require update the controller.

Synchronous or asynchronous controllable

Wi-Fi/cable connection available, fast publishing via mobile phone App and PC. You can load the program through wifi/usb/Lan. HDMI input is also available if required. The built-in storage capacity supports almost all video and image formats. This function is available for all the LED Poster Display product in this page.

Creative Set-up

Synchronized playback of Video Content enables multiple Poster LED to be mounted in many different ways play a synchronized video across all.

Mirror-liked Surface, Acrylic Cover Protected



The EP series with Mirror-like acrylic protective cover at front that can protect from dust, water, and attack. The front surface is IP65 Waterproof rated, but this EP series is not fit for outdoor use.

Indoor and Outdoor Brightness


For indoor projects, 800-1200nits brightness is enough, while outdoor LED display modules as expose in sun, high brightness >4500nits is required. For some indoor installation, but face to windows that has direct sunlight, also need to use high brightness but not waterproof.

Fixing and Installing of LED Digital Signage

For the installation of LED poster screen, there are various ways: Floor Stand LED poster screen, wall-mounted LED poster screen, hanging LED poster screen and double-sided display LED poster screen, we all have corresponding LED display solutions.



Floor-standing




Pendant

Splicing



EP Series / Indoor, Acrylic Cover Protected LED Surface / LED Poster Display



SKU	Pixel Pitch	Display Area (WxH)	Poster Resolution	Poster Pixels	View Distance	LED	Brightness	Power Consumption	IP Grade
EP1.8S	1.8mm	480x1920mm	344x774	266,256dots	>2m	SMD1515	800nits	Max.480W, Avg.150W	IP30
EP2.0S	2mm	480x1920mm	320x720	230,400dots	>2m	SMD1515	800nits	Max.480W, Avg.150W	IP30
EP2.5S	2.5mm	480x192mm	256x576	147,456dots	>2.5m	SMD1515	800nits	Max.480W, Avg.150W	IP30
EP1.8L	1.8mm	640x1920mm	344x1032	355,008dots	>2m	SMD1515	800nits	Max.720W, Avg.220W	IP30
EP1.9L	1.9mm	640x1920mm	336x1008	338,688dots	>2m	SMD1515	800nits	Max.720W, Avg.220W	IP30
EP2.0L	2mm	640x1920mm	320x960	307,200dots	>2m	SMD1515	800nits	Max.720W, Avg.220W	IP30
EP2.5L	2.5mm	640x1920mm	256x768	196,608dots	>2.5m	SMD2121	800nits	Max.720W, Avg.220W	IP30
EP3.0M	3mm	576x1920mm	192x640	122,880dots	>3m	SMD2121	800nits	Max.720W, Avg.220W	IP30

NOTE: All above models are available for mirror style or floor-stand style. And the floor-stand style is also available with movable wheel. And if for wall fixed mounting or pendant mounting need, please advice when ordering.



Packing

Way 1 : By Carton, then by wooden case

For size 640x1920 LED poster :

4pcs packed into one case

Case size: L205xW46xH91(cm)

G.W.: 298kgs



For size 480x1920 LED poster :

4pcs packed into one case

Case size: L205xW46xH75(cm)

G.W.: 198kgs

First use carton and foam
separate screen,
anti - collision scratch



Then it is shipped in wooden
cases for multiple
protection of the screen

Way 2: By rolling Airflight Case

For size 640x1920 LED poster :

2pcs packed into one case

Case size: L205xW46xH91(cm)

G.W.: 198kgs



For size 480x1920 LED poster :

2pcs packed into one case

Case size: L205xW46xH75(cm)

G.W.: 148kgs





Website: www.360digitalsignage.com / www.led.app

Email: info@360digitalsignage.com / info@led.app

Mobile / Wechat / WhatsApp: 0086-133-0296-0992